

Hepiflor®

10 sachets
for babies and children

Food supplement



General data

Probiotics are live microorganisms with beneficial effects on host-body by modulating the balance of gastric flora.

Probiotics may prevent the action of harmful bacteria on human body.

Probiotics may modulate the immunity system by preserving the body defence.

Probiotics keep the balance of gastric flora by increasing the number of beneficial bacteria.

Recommendations of use

Hepiflor® for babies and children is a probiotic product mainly for children but it is also recommended to adults who prefer sachets to dissolve in water or milk.

Hepiflor® for babies and children is recommended in association with oral antibiotic treatment, for restoration of gastric flora balance.

Hepiflor® for babies and children contributes to maintenance and restoration of gastric balance during transit disorders, which may occur pursuant to treatment with oral antibiotics (diarrhea associated to antibiotics).

Hepiflor® for babies and children may improve colics and digestive irritability.

One sachet contains 43 mg (5 billion UFC/sachet) live cultures of

Live cultures	Composition percentage
Lactobacillus rhamnosus	55%
Lactobacillus acidophilus	30%
Bifidobacterium infantis	15%

UFC - colony-forming units

Active ingredients	Quantity/sachet	%VNR*
Bifidobacterium infantis	18,0 mg	N/A
Lactobacillus rhamnosus	15,0 mg	N/A
Lactobacillus acidophilus	10,0 mg	N/A

*VNR - Nutritional value of reference according to regulation 1169/2011

N/A - Not Any



Ingredients: : maltodextrin (loading agent), cultures of probiotic bacteria (Bifidobacterium infantis HA-116, Lactobacillus rhamnosus HA-111, Lactobacillus acidophilus HA-122), ascorbic acid (acidity corrector).

Dose and use

On children under 1 year, it is recommended 1 sachet per day, since the beginning and during the entire treatment with antibiotics, at least 2 hours after providing it.
On children over 1 year, it is recommended 1-2 sachets per day, since the beginning and during the entire treatment with antibiotics, at least 2 hours after providing it.
The sachet is dissolved in a glass of milk, tea or warm water and consumed immediately.
It is recommended that the use of Hepiflor by babies and children to continue one week after the end of antibiotic treatment.

Warnings

Keep at temperatures under 25°C, in the original packing, protected against humidity and direct sun light. Keep away from children.
Food supplements do not substitute a diversified and balance diet and healthy lifestyle.
Hepiflor may contain soya traces and milk derivatives, therefore, it is not recommended to persons allergic to soya and milk derivatives.
To consume, preferably, before the date indicated on the box.
Do not exceed the dose recommended for daily consumption.

Packing

Box with 10 sachets of 2 grams each.

Producer

Harmonium International Inc.
17975, rue Des Gouverneurs, Mirabel, QC Canada J7J 2J5

Holder of note and Distributor in Romania

Terapia SA, Str. Fabricii, Nr. 124, Cluj Napoca, Romania

Notified to SNPMAPS: Series AA, no: 8072/21.11.2014

